



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
PO Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/857,673	01/17/2002	Manfred Leiter	10191/1840	9963

26646 7590 08/01/2003

KENYON & KENYON  
ONE BROADWAY  
NEW YORK, NY 10004

EXAMINER

ZARNEKE, DAVID A

ART UNIT

PAPER NUMBER

2827

DATE MAILED: 08/01/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/857,673

Applicant(s)

LEITER ET AL.

Examiner

David A. Zarneke

Art Unit

2827

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 22-44 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 22-44 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 07 June 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim 22, 24, 27, 28, 32, and 40 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Denlinger, US Patent 4,021,839.

Denlinger discloses (see column 2, line 60 through column 3, line 42 and column 5, lines 34-43) a method of packaging electronic components, having the steps:

forming a plurality of cavities 15 in a package substrate 12, where the package substrate is made of a photopatternable glass (see column 3, lines 4-17, for example);

mounting electronic components 20/22/24 in the cavities;

sealing the cavities with a cover substrate or cover layer 26; and

separating the electronic components (Figure 4).

Regarding claims 24, Denlinger teaches the attachment of an electrically conductive (3, 21+) base (16) to side opposite the cover substrate or cover layer.

With respect to claim 27, Denlinger teaches the cavities as passing through the package substrate (figures).

As to claim 28, Denlinger teaches the cavities as being shallow to accommodate the electronic components (Figures).

Art Unit: 2827

Regarding claim 32, Denlinger teaches the electronic components as being diodes (abstract).

With respect to claim 40, Denlinger teaches the use of a saw to separate the electronic components (5, 34+).

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to

Art Unit: 2827

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 26, 29-31, 33, 34, and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Denlinger, US Patent 4,021,839, as applied to claim 22 above.

Regarding claim 26, the use of photostructuring to form the cavities in the substrate is an obvious matter of design choice. Design choices and changes of size are generally recognized as being within the level of ordinary skill in the art (MPEP 2144.04(d)). Photostructuring is a commonly known in the art method of forming openings in substrates.

With respect to claim 29, the arranging of the diodes on a carrier such that they align with the cavities is an obvious matter of design choice. Design choices and changes of size are generally recognized as being within the level of ordinary skill in the art (MPEP 2144.04(d)). This would make the process quicker and easier since placing multiple diodes on a carrier is easier then placing them in an opening.

As to claims 30 and 31, the choosing of a metal (claim 30), such as silver (Ag) (claim 31), as the material of the carrier layer is an obvious matter of design choice. Design choices and changes of size are generally recognized as being within the level of ordinary skill in the art (MPEP 2144.04(d)). Metallic (Ag) chip carriers are commonly known in the art.

Regarding claim 33, the choosing of a Gunn diode as the type of diode used is an obvious matter of design choice since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the

Art Unit: 2827

intended use as a matter of obvious design choice (*In re Leshin* 125 USPQ 416). Gunn diodes are very commonly known in the art.

As to claims 36 and 37, the attaching a contact spring to the cover substrate or layer from contacting the electronic component is an obvious matter of design choice. Design choices and changes of size are generally recognized as being within the level of ordinary skill in the art (MPEP 2144.04(d)). Contact springs are a very well known in the art method of contacting components.

Claims 23, 34, 35, 38, and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Denlinger, US Patent 4,021,839, as applied to claim 22 above, and further in view of Giboney et al., US Patent 6,351,027.

Regarding claim 23, Denlinger fails to teach the package substrate as being made of a Si semiconductor material.

Giboney (Figure 1) teaches a chip mounted enclosure for enclosing diodes (3, 39+) wherein the bottom piece (13) is made of silicon (3, 49+) and the side walls (21-24) can be made of a semiconductor material, such as Si (5, 11+ & 3, 49+), wherein the bottom piece (13) and sidewall pieces (21-24) form a cavity for placement of a diode (11), which is in turn covered by a top piece (15).

With respect to claims 34 and 35, Giboney teaches the use of a Si semiconductor material

As to claims 34 and 35, while Denlinger teaches the lid (26) to electrically conductive and specifically the use of Au-plated Cu, silicon is a known equivalent electrically conductive material as taught by Giboney (5, 11+).

Art Unit: 2827

The substitution of one known equivalent technique for another may be obvious even if the prior art does not expressly suggest the substitution. *Ex parte Novak* 16 USPQ 2d 2041 (BPAI 1989); *In re Mostovych* 144 USPQ 38 (CCPA 1964); *In re Leshin* 125 USPQ 416 (CCPA 1960); *Graver Tank & Manufacturing Co. V. Linde Air Products Co.* 85 USPQ 328 (USSC 1950).

Regarding claims 25 and 38, Giboney teaches the cover as being made of glasses or ceramics (6, 5+).

With respect to claims 39, it would have been obvious to one of ordinary skill in the art at the time of the invention, as a matter of design choice, that if an organic dielectric was used as the lid, that to form an electrical connection an opening would have to be etched in the dielectric and then a metal layer would have to be applied. Further, the choice of the organic dielectric as being a photosensitive lacquer would also be a matter of design choice. Design choices and changes of size are generally recognized as being within the level of ordinary skill in the art (MPEP 2144.04(d)).

As to claim 41, Giboney teaches the package substrate (13) as an carrier layer having the diodes mounted thereon; forming the cavities as an insulator structure (20a-d) situated outside the package substrate and joining them together along with the cover substrate or layer (Figures 3A-E).

Giboney fails to teach the diodes as being mounted on a carrier and then mounted to the insulator structures and the cover substrate or layer.

It would have been obvious to one of ordinary skill in the art to arrange the diodes on a carrier such that they align with the cavities is an obvious matter of design

Art Unit: 2827

choice. Design choices and changes of size are generally recognized as being within the level of ordinary skill in the art (MPEP 2144.04(d)). This would make the process quicker and easier since placing multiple diodes on a carrier is easier then placing them individually on the substrate.

Regarding claim 42, Giboney teaches joining a cover substrate or layer and the package substrate through the insulator structures.

It would have been obvious to one of ordinary skill in the art to arrange the diodes on a carrier such that they align with the cavities as an obvious matter of design choice. Design choices and changes of size are generally recognized as being within the level of ordinary skill in the art (MPEP 2144.04(d)). This would make the process quicker and easier since placing multiple diodes on a carrier is easier then placing them individually on the substrate.

With respect to claim 43, Giboney teaches applying the diodes to the package substrate; forming insulator structures and joining a cover substrate or layer to the package substrate (figures 3A-E).

It would have been obvious to one of ordinary skill in the art to deposit the diodes on the package substrate by arranging them on a carrier as an obvious matter of design choice. Design choices and changes of size are generally recognized as being within the level of ordinary skill in the art (MPEP 2144.04(d)). This would make the process quicker and easier since placing multiple diodes on a carrier is easier then placing them individually on the substrate.



Art Unit: 2827

As to claims 44, Denlinger teaches the package substrate as being a carrier made of glass (3, 4+), with separate insulator structures formed thereon (Figure 3).

Denlinger fails to teach the insulator structures as being exposed by selective etching.

It would have been obvious to one of ordinary skill in the art at the time of the invention to use selective etching to form the insulator structures as an obvious matter of design choice. Design choices and changes of size are generally recognized as being within the level of ordinary skill in the art (MPEP 2144.04(d)).


### ***Conclusion***

Any inquiry concerning this communication should be directed to David A. Zarneke at (703)-305-3926. The examiner can be reached on M-F 10AM-6PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David L. Talbott can be reached on (703)-305-9883. The fax phone numbers for the organization where this application is assigned are (703)-308-7722 for regular communications and (703)-308-7721 for After Final communications.

Any inquiry of a general nature or relating to the status of this application should be directed to the receptionist whose telephone number is (703)-308-0956.

David A. Zarneke  
July 28, 2003

A handwritten signature in cursive script, appearing to read "David A. Zarneke", with the number "2827" written below it.